

Integration Test Cards

Integration Scenarios

Here are the integration test scenarios and associated test cards.

The card details are in the format of

1. Card Number
2. Expiry Date (YY/MM)
3. CVV
4. One Time Password (*if applicable*)

3D Secure 1.0

Test Case	Description	Card Details
Cardholder not enrolled	Valid transaction when the cardholder or card issuer is not enrolled for 3D Secure (N)	4012001038443 335 12/19 512
Unable to verify enrolment	Valid transaction when the enrolment status cannot be verified (U)	4012001038488 884 12/19 490
Cardholder enrolled	Valid transaction when the cardholder is enrolled for 3D Secure (Y)	4012001037141 112 12/19 578
Failed transaction	Invalid transaction due to malformed data. Send a payment with 3ds_initiate = '05'.	any

3D Secure 2.0

Test Case	Description	Card Number
Frictionless transaction (web)	Valid transaction when the cardholder does not need to be challenged.	5185520050000 010 12/19 067
Challenge successful (web) TransStatus=R	Valid transaction when the cardholder needs to be challenged, including a notification (<i>if subscribed to notification service</i>).	5299910010000 015 12/19 956 1234
Challenge unsuccessful (web) (not authenticated) TransStatus=R	Valid transaction when the cardholder challenge is unsuccessful, including a notification (<i>if subscribed to notification service</i>).	5455330200000 016 12/19 845 9999
Challenge successful (web) (not authenticated) TransStatus=A	Valid transaction when the cardholder challenge is successful but the cardholder is not authenticated, including a notification (<i>if subscribed to notification service</i>).	5455330200000 099 12/19 734 4444
Failed transaction (web)	Invalid transaction due to malformed data. Send a payment with 3ds_initiate = '05'.	any
3DS Requestor Initiated (3RI) Transaction	Successful 3RI transaction	5299050250000 019 12/19 623